
WorkForce Pro WF-C5790



DATASHEET / BROCHURE



Reduce your business printing costs and environmental impact, all while increasing productivity with less intervention and enhanced security.

This small workgroup multifunction device is perfect for the business environment, from small offices to large corporates who may have traditionally used lasers and want to cut costs, increase productivity and reduce downtime. This is while also cutting their business' environmental impact and improving their CSR reputation.

Save money

It can help businesses save at least 50% on their colour CPP (cost per page) versus comparable laser models¹. Designed for workgroups, your business can avoid the hidden employee productivity costs associated with centralised printing. Further lower costs by changing consumables less with its innovative ink supply system.

High productivity and low intervention

Delivering the Fastest First Page Out Time (FPOT) in its segment for both colour (5.3 seconds) and mono (4.8 seconds) prints against comparable lasers, it also has the fastest colour scan speed in the segment at 24ipm². Print up to 10,000 pages in monochrome and 5,000 in colour without changing supplies.

Reduce your impact

Benefit from low-power consumption without compromising on an ultra-sharp output, with at least 70% less energy used than comparable laser models².

Built for business

A range of software and tools provide secure print options, efficient scanning and help manage devices remotely. NFC and wireless connectivity also supports printing from mobile devices. And with its smartphone inspired user interface and touchscreen, it's intuitive to operate.

KEY FEATURES

- Large ink yield in its segment Print up to 10,000 pages
- Ecological

Uses up to 70 percent less power than competitive colour lasers²

Save money

Save at least 50% on colour CPP (cost per page) versus comparable laser models¹

Save time

Automatic double-sided printing, scanning, copying and faxing

Built for business

Added functionality with soft

Added functionality with software tools such as Epson Open Platform





PRODUCT SPECIFICATIONS

| TECHNOLOGY | | | | |
|--|---|--|--|--|
| Printing Method | PrecisionCore™ Print Head | | | |
| Nozzle Configuration | | | | |
| Minimum Droplet Size | 3.8 pl, With Variable-Sized Droplet Technology | | | |
| Ink Technology | DURABrite™ Ultra | | | |
| Application | Office Workgroup | | | |
| All-in-One Functions | Print, Scan, Copy, Fax | | | |
| PRINT | | | | |
| First Page Out | Monochrome 4.8 Seconds, Colour 5.3 Seconds | | | |
| Printing Speed ISO/IEC 24734 | 24 pages/min Monochrome, 24 pages/min Colour | | | |
| Duplex Printing Speed ISO/IEC 24734 | 15 A4 pages/min Monochrome, 15 A4 pages/min Colour | | | |
| Maximum Printing Speed | 34 pages/min Monochrome (plain paper), 34 pages/min Colour (plain paper) | | | |
| Printing Resolution | 4,800 x 1,200 dpi | | | |
| Max Duty cycle | 45,000 pages per month | | | |
| | The maximum number of printed pages per month based on the performance capabilities of | | | |
| | the printer, including ISO rated print speeds and paper handling capabilities. | | | |
| Recommended Duty Cycle | 250 - 2,500 pages per month | | | |
| Colours | Black, Cyan, Yellow, Magenta | | | |
| SCAN | | | | |
| Scanning Speed (new) | 24 ipm (Monochrome, Single-sided, 200 dpi, ADF); 24 ipm (Colour, Single-sided, 200 dpi, | | | |
| | ADF); 8 ipm (Monochrome, Double-sided, 200 dpi, ADF); 8 ipm (Colour, Double-sided, 200 | | | |
| | dpi, ADF); 5 sec/page (Monochrome, 200 dpi, Flatbed); 5 sec/page (Colour, 200 dpi, Flatbed); | | | |
| Scanning Resolution | 1,200 dpi x 2,400 dpi (Horizontal x Vertical) | | | |
| Optical Resolution (ADF) | 1,200 dpi (Horizontal x Vertical) | | | |
| Advanced document | E-mail, FTP, Network folders, Computer (Epson Document Capture Pro), USB Memory Device | | | |
| integration | | | | |
| Output formats | JPEG, TIFF, PDF | | | |
| Scanner type | Contact image sensor (CIS) | | | |
| FAX | | | | |
| Type of fax | Walk-up black and white and colour fax capability | | | |
| Fax Transmission Speed | Up to 33.6kbps / Approx. 3 sec/page | | | |
| Fax speed dials (max) | 200 names and numbers | | | |
| Page memory | Up to 550 pages/ 6MB (ITU-T No. 1 chart) | | | |
| Fax Functions | PC Fax, Fax to E-mail, Fax to Folder, Address Book, Delay Send, Broadcast Fax | | | |
| СОРҮ | | | | |
| | up to 22 ipm Black, up to 22 ipm Colour | | | |
| Copy Speed | · · · · | | | |
| Copy Speed | *Simplex ADF 600 x 600 dpi (ISO/ IEC 24735) | | | |
| Copy Speed Copy resolution (dpi) | *Simplex ADF 600 x 600 dpi (ISO/ IEC 24735) 600 x 1200 | | | |
| | | | | |

WorkForce Pro WF-C5790

WHAT'S IN THE BOX

- Individual Ink Pack
- Power cable
- Driver and utilities (CD)
- Setup guide
- User manual (CD)

PRODUCT SPECIFICATIONS

WorkForce Pro WF-C5790

| CONNECTIVITY | | | | |
|--|---|--|--|--|
| Network Printing Protocols | LPR, FTP, IPP, LPD, Port 9100, WSD, Net BIOS over TCP/IP, WSD-Print, Bonjour/Airprint | | | |
| Network Management | HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SNTP, SLP, WSD, LLTD, SMTP, POP3, IEEE | | | |
| Protocols | 802.1X, ARP, GARP, ICMP, IGMP, DCHP, HTTPS, XMPP, LDAP, LDAPS, SNMP 1.0, SNMP | | | |
| | 2.0c, SNMP 3.0, SNMP Trap | | | |
| Network Scanning Protocols | NetBIOS over TCP/IP, WSD-Scan, Bonjour/Airprint, FTP | | | |
| Interfaces | Wireless LAN IEEE 802.11b/g/n, Wi-Fi Direct, USB 1.1 Type A (2x), Hi-Speed USB - compatible | | | |
| | with USB 2.0 specification, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T), Near | | | |
| | Field Communication (NFC) | | | |
| WLAN Security WEP 64 Bit, WEP 128 Bit, WPA PSK (AES), WPA2 PSK (AES) | | | | |
| Network Protocols | TCP/IPv4, TCP/IPv6, TCP, HTTP, IPv4, IPv6, IPSEC, SSL/TLS | | | |
| PAPER / MEDIA HANDLING | | | | |
| Paper Formats | C4 (Envelope), Legal, A6, A5, B5, Letter, 9 x 13 cm, 10 x 15 cm, 13 x 18 cm, A4, B6, C5 | | | |
| | (Envelope), No. 10 (Envelope), User defined, C6 (Envelope), DL (Envelope) | | | |
| Automatic Document Feeder | 50 pages | | | |
| Compatible Paper Weight | 64 g/m² - 256 g/m² | | | |
| Duplex | Yes | | | |
| Standard Paper input | 330 Sheets Standard, 80 Sheets MP tray, 250 Sheets paper tray | | | |
| Output Tray Capacity | 150 Sheets | | | |
| Standard paper tray(s) | 80-Sheet Multi-Purpose Tray, 250-sheet paper tray | | | |
| Optional paper tray(s) | 500-Sheet paper tray | | | |
| Maximum paper input | 830 | | | |
| Rear paper path (special | Yes | | | |
| media) | | | | |
| PAPER FEED RASF | | | | |
| Paper Input Name | RASF | | | |
| Paper Formats | A4, A5, A6, C4 (Envelope), DL (Envelope), Letter, Postcard, User defined, Legal | | | |
| Custom sizes | Min 64x 127 mm to Max 216x 60,000 mm | | | |
| Compatible paper weight | 64 g/m² - 256 g/m² | | | |
| Paper Capacity 1 | 80 Sheets of Plain Paper, Postcards, Glossy paper, Envelopes, Labels, 80gsm | | | |
| Media type | Plain Paper, Recycled Paper, Colour Paper, Letterhead, Glossy Photo Paper | | | |
| PAPER FEED C1 | | | | |
| Paper Input Name | C1 | | | |
| Paper Formats | A4, A5, A6, Letter | | | |
| Custom sizes | Min 89x 127 mm to Max 216x 356 mm | | | |
| Compatible paper weight | 64 g/m² - 160 g/m² | | | |
| Paper Capacity 1 | 250 Sheets of Plain Paper, Envelopes, 80gsm | | | |
| Media type | Plain Paper, Recycled Paper, Colour Paper, Letterhead | | | |
| PAPER FEED C2 | | | | |
| Paper Input Name | C2 | | | |
| Paper Formats | A4, Letter | | | |
| Custom sizes | Min 100x 148 mm to Max 216x 356 mm | | | |
| Compatible paper weight | 64 g/m² - 160 g/m² | | | |
| Paper Capacity 1 | 500 Sheets of Plain Paper, 80gsm | | | |
| | | | | |
| Media type | Plain Paper, Recycled Paper, Colour Paper, Letterhead | | | |
| Media type | Plain Paper, Recycled Paper, Colour Paper, Letterhead | | | |
| Media type PAPER FEED DUPLEX | | | | |
| Media type PAPER FEED DUPLEX Paper Input Name | Duplex | | | |
| Media type PAPER FEED DUPLEX Paper Input Name Paper Formats | Duplex A4, A5, A6, B5, B6, Letter, HLT, Legal, Executive | | | |
| Media type PAPER FEED DUPLEX Paper Input Name Paper Formats Custom sizes | Duplex A4, A5, A6, B5, B6, Letter, HLT, Legal, Executive Min 148x 210 mm to Max 216x 297 mm | | | |
| Media type PAPER FEED DUPLEX Paper Input Name Paper Formats | Duplex A4, A5, A6, B5, B6, Letter, HLT, Legal, Executive | | | |

PRODUCT SPECIFICATIONS

| GENERAL | | | | |
|---------------------------|--|--|--|--|
| Energy Use | 25 W (standalone copying, ISO/IEC 24712 pattern), 1.5 W (sleep mode), 12 W (Ready), 0.2 W | | | |
| | (Power off), ENERGY STAR® qualified, TEC 0.2 kWh/week | | | |
| Supply Voltage | AC 220 V - 240 V, 50 Hz - 60 Hz | | | |
| Product dimensions | 425 x 535 x 357 mm (Width x Depth x Height) | | | |
| Product weight | 18.7 kg Citrix XenApp 7.6 and above, Citrix XenDesktop Version 7.6, Linux, Mac OS 10.10.x, Mac OS | | | |
| Compatible Operating | | | | |
| Systems | 10.7.x, Mac OS 10.8.x, Mac OS 10.9.x, Mac OS X, Mac OS X 10.11.x, Mac OS X 10.12, Mac OS X 10.12, Mac OS X 10.12.x, Mac OS X 10.6.8, Microsoft Windows Vista (32/64 bit), SAP, Windows 10, Windows 7, Windows 7 x64, Windows 8, Windows 8 (32/64 bit), Windows 8.1, Windows Server 2003 R2 | | | |
| | x64, Windows Server 2008 (32/64bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Server 2012 R2, Windows Server 2016, Windows Vista, Windows Vista x64, Windows XP SP2 or higher, Windows XP SP3, Windows XP x64, Windows server 2003 R2, XP | | | |
| | Professional x64 Edition, XP Professional x64 Edition SP2 | | | |
| Included Software | Epson Document Capture Pro (Windows only) | | | |
| Sound Power | Operation: 6.6 B (A) Operation: 54 dB (A) | | | |
| Sound Pressure | | | | |
| Mobile and Cloud printing | Apple AirPrint, Google Cloud Print, Epson Connect (iPrint, Email Print, Remote Print Driver, | | | |
| services | Scan-to-Cloud, Facebook print) | | | |
| Noise Level | Operation: 54 dB (A) | | | |
| Power Supply | 220V, 240V | | | |
| ADDITIONAL FEATURES | | | | |
| Features | Touchscreen, Direct Print, Direct scan-to-print without PC, Direct print from USB | | | |
| LCD screen | Type: Colour, Touchscreen, Diagonal: 10.9 cm | | | |
| Media Handling | ADF 2-sided copy (A4, plain paper), Automatic duplex (A4, plain paper), Portrait & Landscape printing, Thick Media Support | | | |
| Security Functions | Limit access function with Epson Web Config, Secure confidential printing with PIN code | | | |
| | release, LDAP Address Book, IPsec, IEEE802.1x, SSL (Server authentication), Panel Admin | | | |
| | Mode | | | |
| OTHER FEATURES | | | | |
| Emulations | PCL5c, PCL6, PostScript 3, ESC/P-R, PDF 1.7 | | | |
| OTHER | | | | |
| Warranty | 12 months On-site service | | | |
| | Optional warranty extension available | | | |

SUPPLIES

| • C13T948200 | WF-C5xxx Series Ink Pack Standard Cyan | 3,000 pages | EP |
|--------------|--|--------------|----|
| • C13T948300 | WF-C5xxx Series Ink Pack Standard Magenta | 3,000 pages | |
| • C13T948400 | WF-C5xxx Series Ink Pack Standard Yellow | 3,000 pages | |
| • C13T949100 | WF-C5xxx Series Ink Pack Large Black | 5,000 pages | |
| • C13T949200 | WF-C5xxx Series Ink Pack Large Cyan | 5,000 pages | |
| • C13T949300 | WF-C5xxx Series Ink Pack Large Magenta | 5,000 pages | |
| • C13T949400 | WF-C5xxx Series Ink Pack Large Yellow | 5,000 pages | |
| • C13T950100 | WF-C5xxx Series Ink Pack Extra Large Black | 10,000 pages | |
| • C13T671600 | WF-C5xxx Series Maintenance Box | 60,000 pages | |
| | | | |







▶ +971 55 835 8556

1. Comparison made against the top 10 best selling colour laser printers, with a print speed between 1 and 30 pages per minute.

2. Comparison made against the top 10 best selling colour laser printers in Western Europe and Central and Eastern Europe, with a print speed between 1 and 30 pages per minute.

🔋 +971 4 323 1008 🛛 info@keplertech.ae