DS-770II

DATASHEET / BROCHURE





Intelligent compact sheet-fed scanner with innovative smart features to ensure the highly-efficient scanning of many documents quickly.

With powerful media handling and innovative smart features to ensure a high level of data integrity, the WorkForce DS-770II is geared towards highly-efficient and simple integration into an organisation's workflow. With a 100-page ADF and the ability to scan at up to 45ppm/90ipm, it offers a wide range of media handling options that enable you to rapidly capture, index, store and share business documents.

Intelligent features improve efficiency, accuracy and data reliability

With an industry-first slow mode¹ for scanning crumpled or fragile documents, the ability to scan challenging media has never been easier. The Active Separation Roller System prevents tedious document double feeds ensuring every piece of paper gets scanned and the Double Feed Detection Skip (DFDS) function means you can scan difficult media like envelopes or documents with post-it notes. Auto Scan Mode enables the processing of a vast number of documents as manageable amounts, enabling them to be scanned as one file.

Highly versatile

The optional flatbed scanner conversion kit allows effective document processing from stamps to passports and books. Single-pass double-sided scanning ensures rapid document processing, while it's possible to scan a versatile array of media such as paper as thin as 27gsm, or thick card at 413gsm. The A3 carrier sheet speeds up the process by automatically stitching larger documents back together digitally.

Flexible connectivity

High-speed USB 3.0 with TWAIN, WIA and ISIS drivers for enhanced compatibility with Document Management Systems.

Image enhancement and document management software

Epson Scan 2.0 software makes it easy to edit images with features such as deskew and auto rotate, while Document Capture Pro is the easy to use solution for capturing and storing electronic documents at the touch of a button.

KEY FEATURES

- An industry first with Slow Mode¹
 Scan crumpled, long or fragile
 documents without increasing file sizes
- Active Separation Roller System Prevents tedious double feeds ensuring every piece of paper gets scanned
- Optional flatbed scanner conversion kit

Enables scanning of items from stamps to passports, books and more

• Auto Scan Mode Quickly process physical documents in manageable amounts.



PRODUCT SPECIFICATIONS

TECHNOLOGY	
Scanner Type	Sheetfed Scanner
Optical Resolution	600 DPI x 600 DPI (Horizontal x Vertical)
	e 50.8 mm x 50.8 mm (Horizontal x Vertical)
	e 215.9 mm x 6,096 mm (Horizontal x Vertical)
Paper Formats	A4 (21.0x29.7 cm), A5 (14.8x21.0 cm), A6 (10.5x14.8 cm), B5, B6, Letter, Postcard, Business cards, Plastic cards, Legal, Executive
Scanning color depth	Input: 30 Bits Color / 10 Bits Monochrome , Output: 24 Bits Color / 8 Bits Monochrome
Ultrasonic Sensor	Yes
Category	High Capacity, General Office
SCANNER	
Light Source	ReadyScan LED technology
Output Resolution	75, 100, 150, 200, 240, 300, 600, 1200 DPI
•	, , , , ,
SCAN SPEED	
Scanning Speed	Monochrome: 45 pages/min - Color: 45 pages/min measured with Size: A4 , Resolution: 200 /
	300 dpi, Monochrome: 90 image/min - Color: 90 image/min measured with Size: A4,
	Resolution: 200 / 300 dpi
PAPER / MEDIA HANDLING	
Paper weight	Auto loading: 27 - 413 g/m ²
Automatic Document Feeder Type	Single pass dual scanning
Reliability Daily Duty Cycle	7,000 pages
Automatic Document Feed	100 pages
Duplex Scan	Yes
SCANNING FEATURES	
Features	RGB colour dropout, Advanced Colour Dropout / Enhance, Skip blank page, A3 stiching,
	Punch holes removal, Advanced editing, Automatic de-skew, Automatic multi-document
	recognition, RGB colour enhance, Dual Image Output (Windows only), Auto-rotation, Text
	enhancement, Edge fill, Unsharp Mask (USM), Descreening, Automatic Folder Creation,
	Barcode Recognition, Zonal OCR A & B support, Full Zonal OCR
Output formats	BMP, JPEG, TIFF, multi-TIFF, PDF, searchable PDF, secure PDF, PDF/A, PNG
File compression features	Hardware JPEG compression, TIFF Compression (JPEG(7) , CITT G4, LZW), PDF Compression
File compression features Advanced document	Hardware JPEG compression, TIFF Compression (JPEG(7), CITT G4, LZW), PDF Compression Scan to Email, Scan to FTP, Scan to Microsoft SharePoint®, Scan to Print, Scan to Web
File compression features	Hardware JPEG compression, TIFF Compression (JPEG(7) , CITT G4, LZW), PDF Compression
File compression features Advanced document integration CONNECTIVITY	Hardware JPEG compression, TIFF Compression (JPEG(7), CITT G4, LZW), PDF Compression Scan to Email, Scan to FTP, Scan to Microsoft SharePoint®, Scan to Print, Scan to Web folders
File compression features Advanced document integration	Hardware JPEG compression, TIFF Compression (JPEG(7), CITT G4, LZW), PDF Compression Scan to Email, Scan to FTP, Scan to Microsoft SharePoint®, Scan to Print, Scan to Web
File compression features Advanced document integration CONNECTIVITY	Hardware JPEG compression, TIFF Compression (JPEG(7), CITT G4, LZW), PDF Compression Scan to Email, Scan to FTP, Scan to Microsoft SharePoint®, Scan to Print, Scan to Web folders USB 3.2 Gen 1x1
File compression features Advanced document integration CONNECTIVITY Interfaces GENERAL Energy Use	Hardware JPEG compression, TIFF Compression (JPEG(7), CITT G4, LZW), PDF Compression Scan to Email, Scan to FTP, Scan to Microsoft SharePoint®, Scan to Print, Scan to Web folders USB 3.2 Gen 1x1 12 Watt (Operation), 5.4 Watt (Ready), 1 Watt (sleep mode), 0.1 Watt (Power off)
File compression features Advanced document integration CONNECTIVITY Interfaces GENERAL Energy Use Product dimensions	Hardware JPEG compression, TIFF Compression (JPEG(7), CITT G4, LZW), PDF Compression Scan to Email, Scan to FTP, Scan to Microsoft SharePoint®, Scan to Print, Scan to Web folders USB 3.2 Gen 1x1 12 Watt (Operation), 5.4 Watt (Ready), 1 Watt (sleep mode), 0.1 Watt (Power off) 296 x 169 x 176 mm (Width x Depth x Height)
File compression features Advanced document integration CONNECTIVITY Interfaces GENERAL Energy Use Product dimensions Product weight	Hardware JPEG compression, TIFF Compression (JPEG(7), CITT G4, LZW), PDF Compression Scan to Email, Scan to FTP, Scan to Microsoft SharePoint®, Scan to Print, Scan to Web folders USB 3.2 Gen 1x1 12 Watt (Operation), 5.4 Watt (Ready), 1 Watt (sleep mode), 0.1 Watt (Power off) 296 x 169 x 176 mm (Width x Depth x Height) 3.7 kg
File compression features Advanced document integration CONNECTIVITY Interfaces GENERAL Energy Use Product dimensions Product weight Drivers	Hardware JPEG compression, TIFF Compression (JPEG(7), CITT G4, LZW), PDF Compression Scan to Email, Scan to FTP, Scan to Microsoft SharePoint®, Scan to Print, Scan to Web folders USB 3.2 Gen 1x1 12 Watt (Operation), 5.4 Watt (Ready), 1 Watt (sleep mode), 0.1 Watt (Power off) 296 x 169 x 176 mm (Width x Depth x Height) 3.7 kg TWAIN, WIA, ISIS (Web download), SANE (Linux), ICA (Mac)
File compression features Advanced document integration CONNECTIVITY Interfaces GENERAL Energy Use Product dimensions Product weight	Hardware JPEG compression, TIFF Compression (JPEG(7), CITT G4, LZW), PDF Compression Scan to Email, Scan to FTP, Scan to Microsoft SharePoint®, Scan to Print, Scan to Web folders USB 3.2 Gen 1x1 12 Watt (Operation), 5.4 Watt (Ready), 1 Watt (sleep mode), 0.1 Watt (Power off) 296 x 169 x 176 mm (Width x Depth x Height) 3.7 kg TWAIN, WIA, ISIS (Web download), SANE (Linux), ICA (Mac) Epson Document Capture (Mac only), Epson Document Capture Pro (Windows only), Epson
File compression features Advanced document integration CONNECTIVITY Interfaces GENERAL Energy Use Product dimensions Product weight Drivers Included Software	Hardware JPEG compression, TIFF Compression (JPEG(7), CITT G4, LZW), PDF Compression Scan to Email, Scan to FTP, Scan to Microsoft SharePoint®, Scan to Print, Scan to Web folders USB 3.2 Gen 1x1 12 Watt (Operation), 5.4 Watt (Ready), 1 Watt (sleep mode), 0.1 Watt (Power off) 296 x 169 x 176 mm (Width x Depth x Height) 3.7 kg TWAIN, WIA, ISIS (Web download), SANE (Linux), ICA (Mac) Epson Document Capture (Mac only), Epson Document Capture Pro (Windows only), Epson Document Capture Pro Server (on free download), Epson Scan 2, Presto! BizCard 5.6
File compression features Advanced document integration CONNECTIVITY Interfaces GENERAL Energy Use Product dimensions Product weight Drivers Included Software Compatible Operating	Hardware JPEG compression, TIFF Compression (JPEG(7), CITT G4, LZW), PDF Compression Scan to Email, Scan to FTP, Scan to Microsoft SharePoint®, Scan to Print, Scan to Web folders USB 3.2 Gen 1x1 12 Watt (Operation), 5.4 Watt (Ready), 1 Watt (sleep mode), 0.1 Watt (Power off) 296 x 169 x 176 mm (Width x Depth x Height) 3.7 kg TWAIN, WIA, ISIS (Web download), SANE (Linux), ICA (Mac) Epson Document Capture (Mac only), Epson Document Capture Pro (Windows only), Epson Document Capture Pro Server (on free download), Epson Scan 2, Presto! BizCard 5.6 Citrix XenApp 5.0, Citrix XenApp 6.0, Citrix XenApp 7.6 and above, Linux, Mac OS 10.7.x, Mac
File compression features Advanced document integration CONNECTIVITY Interfaces GENERAL Energy Use Product dimensions Product weight Drivers Included Software	Hardware JPEG compression, TIFF Compression (JPEG(7), CITT G4, LZW), PDF Compression Scan to Email, Scan to FTP, Scan to Microsoft SharePoint®, Scan to Print, Scan to Web folders USB 3.2 Gen 1x1 12 Watt (Operation), 5.4 Watt (Ready), 1 Watt (sleep mode), 0.1 Watt (Power off) 296 x 169 x 176 mm (Width x Depth x Height) 3.7 kg TWAIN, WIA, ISIS (Web download), SANE (Linux), ICA (Mac) Epson Document Capture (Mac only), Epson Document Capture Pro (Windows only), Epson Document Capture Pro Server (on free download), Epson Scan 2, Presto! BizCard 5.6 Citrix XenApp 5.0, Citrix XenApp 6.0, Citrix XenApp 7.6 and above, Linux, Mac OS 10.7.x, Mac OS 10.8.x, Mac OS 10.9.x, Mac OS X, Mac OS X 10.6.8, Windows 10, Windows 7, Windows 7
File compression features Advanced document integration CONNECTIVITY Interfaces GENERAL Energy Use Product dimensions Product weight Drivers Included Software Compatible Operating	Hardware JPEG compression, TIFF Compression (JPEG(7), CITT G4, LZW), PDF Compression Scan to Email, Scan to FTP, Scan to Microsoft SharePoint®, Scan to Print, Scan to Web folders USB 3.2 Gen 1x1 12 Watt (Operation), 5.4 Watt (Ready), 1 Watt (sleep mode), 0.1 Watt (Power off) 296 x 169 x 176 mm (Width x Depth x Height) 3.7 kg TWAIN, WIA, ISIS (Web download), SANE (Linux), ICA (Mac) Epson Document Capture (Mac only), Epson Document Capture Pro (Windows only), Epson Document Capture Pro Server (on free download), Epson Scan 2, Presto! BizCard 5.6 Citrix XenApp 5.0, Citrix XenApp 6.0, Citrix XenApp 7.6 and above, Linux, Mac OS 10.7.x, Mac OS 10.8.x, Mac OS 10.9.x, Mac OS X, Mac OS X 10.6.8, Windows 10, Windows 7, Xindows 7 x64, Windows 8, Windows 8 (32/64 bit), Windows 8 RT, Windows 8.1, Windows 8.1 x64
File compression features Advanced document integration CONNECTIVITY Interfaces GENERAL Energy Use Product dimensions Product weight Drivers Included Software Compatible Operating	Hardware JPEG compression, TIFF Compression (JPEG(7), CITT G4, LZW), PDF Compression Scan to Email, Scan to FTP, Scan to Microsoft SharePoint®, Scan to Print, Scan to Web folders USB 3.2 Gen 1x1 12 Watt (Operation), 5.4 Watt (Ready), 1 Watt (sleep mode), 0.1 Watt (Power off) 296 x 169 x 176 mm (Width x Depth x Height) 3.7 kg TWAIN, WIA, ISIS (Web download), SANE (Linux), ICA (Mac) Epson Document Capture (Mac only), Epson Document Capture Pro (Windows only), Epson Document Capture Pro Server (on free download), Epson Scan 2, Presto! BizCard 5.6 Citrix XenApp 5.0, Citrix XenApp 6.0, Citrix XenApp 7.6 and above, Linux, Mac OS 10.7.x, Mac OS 10.8.x, Mac OS 10.9.x, Mac OS X, Mac OS X 10.6.8, Windows 10, Windows 7, Xindows 7 x64, Windows 8, Windows 8 (32/64 bit), Windows 8 RT, Windows 8.1, Windows 8.1 x64 Edition, Windows Server 2008 (32/64bit), Windows Server 2008 R2, Windows Server 2012
File compression features Advanced document integration CONNECTIVITY Interfaces GENERAL Energy Use Product dimensions Product weight Drivers Included Software Compatible Operating	Hardware JPEG compression, TIFF Compression (JPEG(7), CITT G4, LZW), PDF Compression Scan to Email, Scan to FTP, Scan to Microsoft SharePoint®, Scan to Print, Scan to Web folders USB 3.2 Gen 1x1 12 Watt (Operation), 5.4 Watt (Ready), 1 Watt (sleep mode), 0.1 Watt (Power off) 296 x 169 x 176 mm (Width x Depth x Height) 3.7 kg TWAIN, WIA, ISIS (Web download), SANE (Linux), ICA (Mac) Epson Document Capture (Mac only), Epson Document Capture Pro (Windows only), Epson Document Capture Pro Server (on free download), Epson Scan 2, Presto! BizCard 5.6 Citrix XenApp 5.0, Citrix XenApp 6.0, Citrix XenApp 7.6 and above, Linux, Mac OS 10.7.x, Mac OS 10.8.x, Mac OS 10.9.x, Mac OS X, Mac OS X 10.6.8, Windows 10, Windows 7, Xindows 7 x64, Windows 8, Windows 8 (32/64 bit), Windows 8 RT, Windows 8.1, Windows 8.1 x64
File compression features Advanced document integration CONNECTIVITY Interfaces GENERAL Energy Use Product dimensions Product weight Drivers Included Software Compatible Operating	Hardware JPEG compression, TIFF Compression (JPEG(7), CITT G4, LZW), PDF Compression Scan to Email, Scan to FTP, Scan to Microsoft SharePoint®, Scan to Print, Scan to Web folders USB 3.2 Gen 1x1 12 Watt (Operation), 5.4 Watt (Ready), 1 Watt (sleep mode), 0.1 Watt (Power off) 296 x 169 x 176 mm (Width x Depth x Height) 3.7 kg TWAIN, WIA, ISIS (Web download), SANE (Linux), ICA (Mac) Epson Document Capture (Mac only), Epson Document Capture Pro (Windows only), Epson Document Capture Pro Server (on free download), Epson Scan 2, Presto! BizCard 5.6 Citrix XenApp 5.0, Citrix XenApp 6.0, Citrix XenApp 7.6 and above, Linux, Mac OS 10.7.x, Mac OS 10.8.x, Mac OS 10.9.x, Mac OS X, Mac OS X 10.6.8, Windows 10, Windows 7, Windows 7 x64, Windows 8, Windows 8 (32/64 bit), Windows 8 RT, Windows 8.1, Windows 8.1 x64 Edition, Windows Server 2012 R2, Windows Vista, Windows Vista x64, Windows Server 2003
File compression features Advanced document integration CONNECTIVITY Interfaces GENERAL Energy Use Product dimensions Product weight Drivers Included Software Compatible Operating Systems	Hardware JPEG compression, TIFF Compression (JPEG(7), CITT G4, LZW), PDF Compression Scan to Email, Scan to FTP, Scan to Microsoft SharePoint®, Scan to Print, Scan to Web folders USB 3.2 Gen 1x1 12 Watt (Operation), 5.4 Watt (Ready), 1 Watt (sleep mode), 0.1 Watt (Power off) 296 x 169 x 176 mm (Width x Depth x Height) 3.7 kg TWAIN, WIA, ISIS (Web download), SANE (Linux), ICA (Mac) Epson Document Capture (Mac only), Epson Document Capture Pro (Windows only), Epson Document Capture Pro Server (on free download), Epson Scan 2, Presto! BizCard 5.6 Citrix XenApp 5.0, Citrix XenApp 6.0, Citrix XenApp 7.6 and above, Linux, Mac OS 10.7.x, Mac OS 10.8.x, Mac OS 10.9.x, Mac OS X, Mac OS X 10.6.8, Windows 10, Windows 7, Windows 7 x64, Windows 8, Windows 8 (32/64 bit), Windows 8 RT, Windows 8.1, Windows 8.1 x64 Edition, Windows Server 2012 R2, Windows Vista, Windows Vista x64, Windows Server 2003 R2, XP Professional x64 Edition
File compression features Advanced document integration CONNECTIVITY Interfaces GENERAL Energy Use Product dimensions Product weight Drivers Included Software Compatible Operating Systems	Hardware JPEG compression, TIFF Compression (JPEG(7), CITT G4, LZW), PDF Compression Scan to Email, Scan to FTP, Scan to Microsoft SharePoint®, Scan to Print, Scan to Web folders USB 3.2 Gen 1x1 12 Watt (Operation), 5.4 Watt (Ready), 1 Watt (sleep mode), 0.1 Watt (Power off) 296 x 169 x 176 mm (Width x Depth x Height) 3.7 kg TWAIN, WIA, ISIS (Web download), SANE (Linux), ICA (Mac) Epson Document Capture (Mac only), Epson Document Capture Pro (Windows only), Epson Document Capture Pro Server (on free download), Epson Scan 2, Presto! BizCard 5.6 Citrix XenApp 5.0, Citrix XenApp 6.0, Citrix XenApp 7.6 and above, Linux, Mac OS 10.7.x, Mac OS 10.8.x, Mac OS 10.9.x, Mac OS X, Mac OS X 10.6.8, Windows 8.1, Windows 7, Windows 7 x64, Windows 8, Windows 8 (32/64 bit), Windows Server 2008 R2, Windows 8.1 x64 Edition, Windows Server 2012 R2, Windows Vista, Windows Vista x64, Windows Server 2003 R2, XP Professional x64 Edition Operation 15% - 80%, Storage 15% - 85%
File compression features Advanced document integration CONNECTIVITY Interfaces GENERAL Energy Use Product dimensions Product weight Drivers Included Software Compatible Operating Systems Supported Humidity Supported Temperature Options	Hardware JPEG compression, TIFF Compression (JPEG(7), CITT G4, LZW), PDF Compression Scan to Email, Scan to FTP, Scan to Microsoft SharePoint®, Scan to Print, Scan to Web folders USB 3.2 Gen 1x1 12 Watt (Operation), 5.4 Watt (Ready), 1 Watt (sleep mode), 0.1 Watt (Power off) 296 x 169 x 176 mm (Width x Depth x Height) 3.7 kg TWAIN, WIA, ISIS (Web download), SANE (Linux), ICA (Mac) Epson Document Capture (Mac only), Epson Document Capture Pro (Windows only), Epson Document Capture Pro Server (on free download), Epson Scan 2, Presto! BizCard 5.6 Citrix XenApp 5.0, Citrix XenApp 6.0, Citrix XenApp 7.6 and above, Linux, Mac OS 10.7.x, Mac OS 10.8.x, Mac OS 10.9.x, Mac OS X, Mac OS X 10.6.8, Windows 10, Windows 7, Windows 7 x64, Windows 8, Windows 8 (32/64 bit), Windows 8 RT, Windows 8.1, Windows 8.1 x64 Edition, Windows Server 2012 R2, Windows Vista, Windows Vista x64, Windows Server 2003 R2, XP Professional x64 Edition Operation 15% - 80%, Storage 15% - 85% Operation 5° C - 35° C, Storage -25° C - 60° C
File compression features Advanced document integration CONNECTIVITY Interfaces GENERAL Energy Use Product dimensions Product weight Drivers Included Software Compatible Operating Systems Supported Humidity Supported Temperature	Hardware JPEG compression, TIFF Compression (JPEG(7), CITT G4, LZW), PDF Compression Scan to Email, Scan to FTP, Scan to Microsoft SharePoint®, Scan to Print, Scan to Web folders USB 3.2 Gen 1x1 12 Watt (Operation), 5.4 Watt (Ready), 1 Watt (sleep mode), 0.1 Watt (Power off) 296 x 169 x 176 mm (Width x Depth x Height) 3.7 kg TWAIN, WIA, ISIS (Web download), SANE (Linux), ICA (Mac) Epson Document Capture (Mac only), Epson Document Capture Pro (Windows only), Epson Document Capture Pro Server (on free download), Epson Scan 2, Presto! BizCard 5.6 Citrix XenApp 5.0, Citrix XenApp 6.0, Citrix XenApp 7.6 and above, Linux, Mac OS 10.7.x, Mac OS 10.8.x, Mac OS 10.9.x, Mac OS X, Mac OS X 10.6.8, Windows 10, Windows 7, Windows 7 x64, Windows 8, Windows 8 (32/64 bit), Windows 8 RT, Windows 8.1, Windows 8.1 x64 Edition, Windows Server 2012 R2, Windows Vista, Windows Vista x64, Windows Server 2003 R2, XP Professional x64 Edition Operation 15% - 80%, Storage 15% - 85% Operation 5° C - 35° C, Storage -25° C - 60° C

WorkForce DS-770II

WHAT'S IN THE BOX

- Driver and utilities (CD)
- Main unit
- Power cable
- Setup guide
- USB cable
- Warranty document

EPSON[®]

OPTIONAL ACCESSORIES

- Carrier Sheet (set of 5)
- B12B819051 Cleaning Kit
- B12B819291
- Roller Assembly Kit B12B819671
- D12D019071

LOGISTICS INFORMATION

SKU	B11B262401BB
EAN code	8715946685960
Country of Origin	Indonesia

WorkForce DS-770II



Epson Middle East P.O.Box 17383, Dubai United Arab Emirates Telephone: +9714 8818934

Hotline Telephone: +9714 8872172 Fax: +9714 8818945 www.epson.ae

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners. Product information is subject to change without prior notice.

 Compared to sheet-fed scanners, within the speed range of 25ppm to 45ppm, based on data from the websites and brochures of the top five best-selling scanner models in EMEA for the full year 2015 according to InfoSource Document Management Scanner Sales Full Year 2015.
 Requires download from Epson website

